


PLAN VIEW



SECTION A-A

**DESIGN DATA & GENERAL NOTES**

- [1] Concrete strength  $f'_c = 4,000$  p.s.i. @ 28 days. Density = 150 pcf.
- [2] Cement - Portland Type I/II per ASTM C 150-92.
- [3] Admixtures & plasticizers per ASTM C 260-86 & C 494-92.
- [4] Reinforcing per ASTM A185. Min. 1-1/2" cover.
- [5] Top slab sealed with butyl rope mastic.
- [6] Maximum 5'-0" of earth cover over top slab.



6264 Race Road  
Elkridge, Maryland 21075  
Tel. 410.796.1434  
Fax. 410.796.1438

[www.mayerbrosprecast.com](http://www.mayerbrosprecast.com)

**Mayer Bros., Inc.**

**1,000 GALLON TANK**  
**Heavy-Traffic Rated**

Stock Item [Approx. Wt. - 14,000 lbs.]

Dwg. No. 1000TR1

No Scale

Jan 1, 2000